Appl. No.: 10/812,770

Amdt. Dated: April 13, 2007

Reply to Office Action of: February 9, 2007

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (Canceled)

Claim 2 (Previously presented): A multisystematic volume rendering image processing system

comprising:

a plurality of image data server computers,

a plurality of image display units,

one or more common volume data storage units for storing volume data necessary for the

image display units, and

a server manager for managing data copying via a network, wherein the image data

server computers receive volume data necessary for formation of images requested by the image

display units from the volume data storage unit via the network, process image data in

accordance with image requests concerning angle and position issued from the image display

units, and transmit image results to the image display units via the network;

the image display units each including an input section and an output section transmit the

image requests entered through the input sections to the image data server computers via the

network, receive the image results processed by the image data server computers and output the

image results to the output sections:

the volume data storage unit transmits the necessary volume data to the image data server

computers in accordance with requests issued from the image data server computers; and

Page 2 of 8

the server manager makes a decision to switch data processing for the plurality of image

display units so that a part of the data processing performed by an operative one of the image

data server computers will be replaced by data processing performed by another suspended one

including a state of low load of the image data server computers, wherein when the server

manager decides the switching, if the same volume data as the volume data handled by the

operative image data server computer are not present in the suspended image data server

computer as a destination of the decided switching, the server manager performs a control

function wherein the volume data from the volume data storage unit is transmitted to the

destination image data server computer and additional information including scale-up factor data,

angle data, and position data of the image requests is copied from the operative image data server

computer to the destination image data server computer, and the destination image data server

computer is made to execute the data processing.

Claim 3 (Previously presented): The multisystematic volume rendering image processing system

as claimed in claim 2, wherein the decision to switch data processing is based on an overload

condition of the operative image data server computer.

Claim 4 (Previously presented): The multisystematic volume rendering image processing system

as claimed in claim 2, wherein the server manager stores identification names of the volume data

transmitted from the volume data storage unit and destination image data server computers in a

memory in advance:

Page 3 of 8

when the volume data storage unit is requested to send volume data, the server manager

inquires of the memory whether the same volume data are already sent or not, after the volume

data is sent from the volume data storage unit;

when the same volume data are already sent, the server manager judges whether the

volume data are collected to one of the image data server computers or not; and

when a decision is made that the volume data are collected to one of the image data

server computers, the additional information is copied to that image data server computer as a

destination of the decided switching and that image data server computer is made to execute the

data processing.

Claim 5 (Canceled)

Claim 6 (New): The multisystematic volume rendering image processing system as claimed in

claim 2, wherein said additional information includes mask information.

Page 4 of 8